

www.cebsrl.eu



SC_06
Ed. Gennaio 2018

C.E.B.

Truck Torre Faro



LIGHT TOWER



The specifications and dimensions indicated are not binding; C.E.B. reserves the right to make changes at any time.

DIMENSIONS (mm)		
A	Wheel base	3.000
B	Maximum Length	5.580
N	Rear Truck	2.200



QUADRI ELETTRICI - CABINE - APPARATI ELETTRONICI - IMPIANTISTICA NAUALE - CONTAINER ATTREZZATI

LIGHT TOWER

ENGINE

Stroke, diesel engine - Make: IVECO - Model: FIAT FPT.
4 Cylinders, 4 bore and stroke, Piston displacement on the line, 146 HP@3500 rpm, Fuel Injection Pump connected to the distribution, reinforced engine oil pump,



TRANSMISSION

5 gear, reinforced oil lubricated gear box, gear ratio 1/0.98, 75W90 transmission oil.

CLUTCH

Type DRY, Model MALEO, direct Gear Shifting Lever, connected Front & Rear Axle, traction control

SUSPENSION

Front and rear standard suspension

ELECTRICAL SYSTEM

Battery: 12V -150Ah, Alternator: 12V – 4/6 Amp A, Starter 12V – KW1

BRAKING SYSTEM

System equipped with disc brakes on all axes, antilock system A.B.S. / engine brake; slowing down of the device of the electromagnetic type vehicle.

STEERING

Power Steering

WHEELS/TYRES

Linear type tyres